




BACKLIT PANELS



TRANSLUCENZA™

NATURE PANELS

TRANSLUCENZA represent a new innovative Translucent material. It will let your imagination run wild when it comes to nature-like styling or designing your private or public spaces.

Made out of polymer composite substrate, it has all the beauty and durability of the natural material. Together, Mother Nature and the cutting-edge technology have given birth to extraordinary qualities: TRANSLUCENZA is strong, Beautiful and weather resistant.

TECHNICAL DETAILS

Thickness & Size: See below the product image

Raw Material: **Polymer Composite Substrate**

TRANSLUCENZA



Designs: Canyon Rock, Stona Clad, Lava Rock, Tree Bark, Onxy Stone, Burnt Brick, Waterfall Stone, Rough Wood, Round Log, Travertine Stone.

Size, Thickness & Colour may vary from panel to panel.



13^{THICKNESS}mm

CANYON ROCK





T-801

Size: 2385mm x 890mm - 13mm
Weight: 39kg




T-802

Size: 2385mm x 890mm - 13mm
Weight: 39kg




T-803

Size: 2385mm x 890mm - 13mm
Weight: 39kg



T-804

Size: 2385mm x 890mm - 13mm
Weight: 39kg




T-805

Size: 2385mm x 890mm - 13mm
Weight: 39kg


15^{THICKNESS}mm

STONA CLAD





T-811

Size: 2395mm x 890mm - 15mm
Weight: 37kg




T-812

Size: 2395mm x 890mm - 15mm
Weight: 37kg



T-813

Size: 2395mm x 890mm - 15mm
Weight: 37kg




T-814

Size: 2395mm x 890mm - 15mm
Weight: 37kg





T-815

Size: 2395mm x 890mm - 15mm
Weight: 37kg





15^{THICKNESS}mm

LAVA ROCK





T-821

Size: 2400mm x 900mm -15mm
Weight: 29kg





T-822

Size: 2400mm x 900mm -15mm
Weight: 29kg





T-823

Size: 2400mm x 900mm -15mm
Weight: 29kg



T-824

Size: 2400mm x 900mm -15mm
Weight: 29kg




T-825

Size: 2400mm x 900mm -15mm
Weight: 29kg

20^{THICKNESS}mm

TREE BARK





T-831

Size: 2410mm x 890mm -20mm
Weight: 37kg




T-832

Size: 2410mm x 890mm -20mm
Weight: 37kg





T-833

Size: 2410mm x 890mm -20mm
Weight: 37kg



T-834

Size: 2410mm x 890mm -20mm
Weight: 37kg







T-835

Size: 2410mm x 890mm -20mm
Weight: 37kg



20mm THICKNESS

ONYX STONE



T-841
Size: 2390mm x 890mm -20mm
Weight: 38kg

T-842
Size: 2390mm x 890mm -20mm
Weight: 38kg

T-843
Size: 2390mm x 890mm -20mm
Weight: 38kg



T-844
Size: 2390mm x 890mm -20mm
Weight: 38kg

T-845
Size: 2390mm x 890mm -20mm
Weight: 38kg

16mm THICKNESS

BURNT BRICK

WATERFALL STONE



T-851
Size: 2440mm x 915mm -16mm
Weight: 37kg

T-852
Size: 2440mm x 915mm -16mm
Weight: 37kg

T-861
Size: 2440mm x 920mm -16mm
Weight: 38kg

T-862
Size: 2440mm x 920mm -16mm
Weight: 38kg




ROUGH WOOD

17mm^{THICKNESS}


ROUND LOG



T-871
Size: 2440mm x 920mm -17mm
Weight: 42kg



T-872
Size: 2440mm x 920mm -17mm
Weight: 42kg



T-881
Size: 2330mm x 875mm -17mm
Weight: 37kg



T-882
Size: 2330mm x 875mm -17mm
Weight: 37kg

14mm^{THICKNESS}

TRAVERTINE STONE



T-891
Size: 2420mm x 930mm -14mm
Weight: 36kg



T-892
Size: 2420mm x 930mm -14mm
Weight: 36kg


Technical specification



SR.	PARAMETER	UNIT	RESULT	TEST MODE
1	SPECIFIC GRAVITY	-	1.19	ASTM D792
2	TENSILE STRENGTH	MPA	69	ASTM D638
3	ELONGATION RAPTURE	%	4.51	ASTM D638
4	MODULAS OF ELASTICITY	MPA	2780	ASTM D638
5	TEXTURE STRENGTH	MPA	116	ASTM D790
6	COMPRESSIVE STRENGTH	MPA	112	ASTM D695
7	INPECT STRENGTH	J/M	21.55	ASTM D256
8	ROCKWELL HARDNESS	-	M.93	ASTM D785
9	BARCOL HARDNESS	-	48	ASTM D2583
10	REFRACTIVE INDEX	-	1.49	ASTM D542
11	LIGHT TRANSMISSION	%	92	ASTM D1003
12	FORMING TEMPERATURE	DEG C	149 DEG C	--
13	DEFLECTION TEMPERATURE UNDERLOAD, 264PSI	DEG C	91	ASTM D648
14	VICAT SOFTING POINT	DEG C	105	ASTM D1525
15	COEFFICIENT OF LINIOR THERMAL EXPANSION	M/M-DEG C	0.000072	ASTM D696
16	CO EFFICIENT OF CONDUCTIVITY	W/M'K	0.19	--
17	FLAMMABILITY BURNING RATE	MM/MIN	25	ASTM D635
18	SELF IGNITION TEMPERATURE	DEG C	455	ASTM D1929
19	SPACIFIC HEAT @ 77 DEG F	J/KG'K	1465	--
20	SMOKE DENSITY RATING	%	4.77	ASTM D2843
21	DIELECTRIC STRENGTH	KV/MM	17	ASTM D149
22	DIELECTRIC CONSTANT	-	3.6	ASTM D150
23	WATER ABSORPTION @ 24 HOURS	%	011	ASTM D570



- Each Natural Panel design have Joint Adhesive. Please ask Natural Panel Model Number for Joint Adhesive.
- Recommended Mixing: 100ml Adhesive + 2ml Hardener.



BRAZILIA STONE DECOR

GLO Presents 'BRAZILIA STONE DÉCOR'. The slabs are made from Agate, it is one of the gems most used to embellish decorative items. In ancient times it was considered a lucky charm that protected people and brightened up their surroundings. Slabs and cut-to-size pieces are hand-assembled to form a harmonious chromatic whole.

TECHNICAL DETAILS

Thickness: **12mm**

Weight Per Sq. Ft.: **2.1 Kg**

Size: **Customize**


Raw Material: **Agate Stone + Resin**

BRAZILIA STONE DECOR


Size, Thickness & Colour may vary from panel to panel.



BRAZILIA STONE DECOR




8601 - Customize Size
Thickness - 12mm




8602 - Customize Size
Thickness - 12mm



8603 - Customize Size
Thickness - 12mm




8604 - Customize Size
Thickness - 12mm




8605 - Customize Size
Thickness - 12mm



8606 - Customize Size
Thickness - 12mm



8607 - Customize Size
Thickness - 12mm



8608 - Customize Size
Thickness - 12mm

ASTRATTO

GLO Presents **ASTRATTO** - an innovative architectural panels for architects and designers to enhance spaces with light, color, texture and shapes.

Our architectural resin panels bring an element of design inspiration, mood and light play to interiors using natural, man-made and digitally inspired designs.

TECHNICAL DETAILS

Thickness: **6mm**

Size: **Customize**

Raw Material: **Acrylic Solid Surface**

ASTRATTO

Custom Size & Thickness Available

Size, Thickness & Colour may vary from panel to panel.



WATER
PROOF



TERMITE
PROOF



FIRE
RETARDANT



ASTRATTO



3607 - BLUE
Customize Size
Thickness: 6mm



3608 - PINK
Customize Size
Thickness: 6mm




3613 - PINK
Customize Size
Thickness: 6mm



3617 - BLUE
Customize Size
Thickness: 6mm




3618 - PINK
Customize Size
Thickness: 6mm



3620 - GREEN
Customize Size
Thickness: 6mm



3621 - RED
Customize Size
Thickness: 6mm



3623 - PINK
Customize Size
Thickness: 6mm



3624 - YELLOW
Customize Size
Thickness: 6mm



3628 - PINK
Customize Size
Thickness: 6mm



3629 - YELLOW
Customize Size
Thickness: 6mm



3636 - RED
Customize Size
Thickness: 6mm



3637 - BLUE
Customize Size
Thickness: 6mm



3639 - YELLOW
Customize Size
Thickness: 6mm



PEBBLE MOSAIC

GLO **Pebble Mosaic** Collection is based on a unique process by which smooth stone / shell pebbles are cast in a clear resin and formed into beautiful tiles and slab. Their beauty captured and suspended in transparent resin, create the beautiful illusion of underwater river pebbles. Individually, or blended with other materials from GLO collections sets the most tranquil of scenes.

TECHNICAL DETAILS

Thickness: Stone Pebble Mosaic: **18mm**
Shell Pebble Mosaic: **12mm**

Size: **Customize**

Raw Material: **Stone / Shell + Resin**

PEBBLE MOSAIC

*Custom size can be produced.

Size, Thickness & Colour may vary from panel to panel.



3301 - Customize Size
Thickness: 18 mm



3302 - Customize Size
Thickness: 18 mm



3303 - Customize Size
Thickness: 18 mm



3304 - Customize Size
Thickness: 18 mm



3305 - Customize Size
Thickness: 18 mm



3306 - Customize Size
Thickness: 18 mm

PEBBLE MOSAIC



3307 - Customize Size
Thickness: 18 mm



3308 - Customize Size
Thickness: 18 mm



3309 - Customize Size
Thickness: 18 mm



3310 - Customize Size
Thickness: 18 mm



3311 - Customize Size
Thickness: 18 mm



3312 - Customize Size
Thickness: 18 mm




3313 - Customize Size
Thickness: 18 mm



3314 - Customize Size
Thickness: 18 mm



3315 - Customize Size
Thickness: 18 mm



SHELL PEBBLE MOSAIC ^{THICKNESS} 12mm



3401 - Customize Size
Thickness: 12 mm



3402 - Customize Size
Thickness: 12 mm

BUBBLE WATER SCREEN

Bubble Water Screen is an amazing new product by GLO, that is designed with acrylic panels with internal LED lights & air pump, which makes the dancing bubble illusion. Can be beautiful options for places such as hotel lobbies, restaurant's, bar's, Shopping Malls, club's, high end residences, etc. It can give the environment create a very dreamy, romantic, and elegant atmosphere.


TECHNICAL DETAILS

- Made up of High Density Acrylic
- Easy installation
- High-end LED lights
- Colour changing wireless remote control

Available SIZE:
See below the
model No.

- Bubble controller to change speed of bubbles to create random patterns
- Only Mineral / Distilled water to be filled
- Clear Vinegar to be added approx 5 Liters along with water


BUBBLE WATER SCREEN



Design No.: Bubble Reception Table
Size: 1220 mm (w) x 2440 mm (h)
Thickness: 400 mm




RFID Touch Remote Controller
16 Different Colours for selection



Design No.: Table Pole Flow
Size: 200 mm (w) x 600 mm (h)
Thickness: 200 mm
Weight: 970 grm



Design No.: Corner Flow
Size: 1100 mm (w) x 2000 mm (h)
Thickness: 380 mm
Weight: 81 kg



RFID Touch Remote Controller
16 Different Colours for selection

GLO PANELS
PVT. LTD.

customer.care@glopanels.com | www.glopanels.com