

SURFACES



Terra Blocks are a whole new level of beautiful, that have been catching on in offices and homes throughout the country. This new trend is fuelled by the amount of ways one can play with Block designs. Mixing and matching patterns, colours, even just how sunlight casts lovely patterns on the floor. Whether it ends up as a wall partition or just a feature wall outside your home, every one is a true masterpiece, in its own way.




## Terra Blocks Technical Specification

Strength	The unit is N/mm2 - This should be in between 10 and 12.5 for burned clay bricks.
Density	The unit of density is Kg/m3 the density of normal clay products is 1200 to 1250.
Water Absorption	Water absorption should not be more than 15% of the self-weight of the product.
Fire Resistance	The unit is Minutes - The material should not catch fire even it is exposed to fire up-tp 30 Mins.









Per Box Qty.: 4 Pcs. | Weight: 2.6 Kgs P/Pcs.



MODEL






Size: 220mm x 220mm x 63mm Per Box Qty.: 4 Pcs. | Weight: 2.6 Kgs P/Pcs.








Per Box Qty.: 4 Pcs. | Weight: 2.7 Kgs P/Pcs.

Size: 220mm x 220mm x 63mm Per Box Qty.: 4 Pcs. | Weight: 2.6 Kgs P/Pcs.



Size: 220mm x 220mm x 63mm Per Box Qty.: 4 Pcs. | Weight: 2.6 Kgs P/Pcs.





**FLOOR TILES** 

MODEL





## Colour : Natural

Size: 250mm x 250mm x 12mm Weight: 1.5 Kgs P/Pcs. (Approx), Per Box Qty.: 5 Pcs. Size: 300mm x 300mm x 12mm Weight: 2.13 Kgs P/Pcs. (Approx), Per Box Qty.: 7 Pcs.



